NEXGO N82

Version 2.2 Issued May 2024

NEXGOGLOBAL.COM

N82

Smart POS Terminal
Slim, Portable and Fashionable

NEXGO

The NEXGO N82 is a smart POS terminal with secure and stable performance. It runs the Android 10 operating system and has a quad-core processor, providing a premium experience with a large battery. Its slim and light design makes it portable.

Performance

Android POS Terminal in Good Performance

Portable

and Slim

Power-Efficient

with Large Capacity Battery

NEXGO

Outstanding Performance

1.5 GHz Quad-Core Cortex A53

1GB RAM + 8GB ROM

Android 10

NEXGO

NEXGO

Portable Slim

The N82 is slim and portable, allowing users to take it with them wherever they go.

NEXGO

Full Connection

Multi methods to get you always connected.

4G

Wi-Fi

Bluetooth

NEXGO

Dual-band Wi-Fi Dual SIM

When using the N82, dual-band Wi-Fi and dual SIM give users the option of two frequency bands and a stronger signal. Furthermore, double backup ensures that transactions always run smoothly.

Dual-band Wi-Fi 2.4G&5G

Dual SIM

NEXGO

Faster Printing

The thermal printer of N82 adopts cutting-edge high-speed printing technology. The print speed is high.

Rechargeable li-ion battery

5200 mAh

Payment Methods

N82 accepts payments of magnetic stripe cards, IC cards, contactless/NFC and 1D&2D codes.

Charging Base

The charging base of the N82 supports a variety of port types. To fulfill the various scenarios, it can connect the desktop cashier or other external devices.

NEXGO

N82 Smart POS Terminal

OS Android 10	**Printer** High Speed Thermal Printer, Paper Roll Width : 58mm, Diameter: 40mm	**Audio** 1 x Speaker	**Adaptor** DC 5.0V/2.0A
Processor Quad-Core, Cortex A53, 1.5GHz	**Card Readers** Magnetic stripe cards Chip Cards Contactless Cards	**Keys** 1 Power Key, 2 Volume Keys	**Physical** 198mm (L) x 77mm(W) x 68mm(H) 395g (Including Battery)
Memory 1GB RAM + 8GB ROM 2GB RAM + 16GB ROM (Optional)	**Communication** 4G/3G/2G Wi-Fi, 802.11a/b/g/n, 2.4GHz&5GHz BT4.X	**Positioning** GPS, GLONASS or BeiDou	**Environmental** Operating Temperature : 0°C to 50°C Storage Temperature : -20°C to 70°C
Display 5" FWVGA(854 x 480) Color Screen, Capacitive Touchscreen, Multi- Touch	**Battery** 3.7V/5200mAh 3.7V/6600mAh (Optional)	**Ports** 1 x Type C USB OTG 6 PIN POGO PIN	**Accessories** Charging Base Multifunctional Base
Cameras Rear: 2 MP, FF	**Card Slots** 2 x SIM + 1 x SAM 1 x SIM + 2 x SAM (Optional) 1 x SD	**Certifications** CE,FCC, ATEX, IP54; RoHS/WEEE; EMV L1&L2,EMV CL1, Quickpass, Paypass, PayWave, JCB, AMEX, Discover, TQM; PCI 6.X	

NEXGO

THANK YOU!

NEXGO